

# Rescue boat SV-480



## Description

The SV-480 rescue boat lay-out has been designed and approved in order to allow navigation by using an adapted driving position, as well as navigation with traditional outboard engine with tiller.

Approved for a 40 hp minimum engine power and 75 hp maximum engine power (with small bench steering console, put to starboard position), the driving position will allow a more comfortable boat operation, improving the reaction time in case of emergency.

There is room enough on the deck to place the approved stretcher for injured person transportation. Besides the driver, the boat has seats for 4 passengers and a bow locker to storage the necessary equipment.

Available in orange and white. The white yacht version comes with an orange cover set for compliance with MCA SOLAS/MED requirements.

## Technical specifications

Length overall	485 cm
Length inside	354 cm
Beam overall	224 cm
Beam inside	110 cm
Maximum depth	100 cm
Max tube $\varnothing$	53 cm
No. of independent compartments	5+1
Authorized motor power	40/50/60/70 or 75 HP
Motor shaft type	L
Max. authorized number of persons	6
Max authorized pay load	718 kg
Approx. weight of boat, empty	250 kg
Weight approx. fully equipped, 6 persons	1000 kg
Approval	MCA SOLAS/MED

## Equipment in bow locker

- Portable Fire extinguisher
- Boarding ladder
- Sea anchor
- Bailer
- Towing line
- Torch
- Foot pump
- First Aid Kit
- Compass
- Thermal protective aids, 2 pcs.
- Knife
- Whistle
- Sponges, 2 pcs.
- Position indicating light, deck light, battery
- Search light
- Repair kit

