

# MODULO HX HUR 310

| FEATURES  |   |
|---|---|
| codes: 02130/1/HX/HUR - 02131/1/HX/HUR - 02132/1/HX/HUR<br>02130/1/HX/H/HUR - 02131/1/HX/H/HUR - 02132/1/HX/H/HUR |   |
| Type  | Inflatable life jacket  |
| Activators  | 02130/1/HX/HUR UML MK5 x2 [DAA]<br>02131/1/HX/HUR UML MK5+UML Micro Manual [DAAM]<br>02132/1/HX/HUR UML MK5 [SAA]<br>02130/1/HX/H/HUR MA1/EC x2 [DAA]<br>02131/1/HX/H/HUR MA1/EC+M1/A1 [DAAM]<br>02132/1/HX/H/HUR MA1/EC [SAA]<br>Oral tube on all versions |
| Canister  | 02130/1/HX/HUR (2x60 g)<br>02131/1/HX/HUR (2x60 g)<br>02132/1/HX/HUR (1x60 g)<br>02130/1/HX/H/HUR (2x60 g)<br>02131/1/HX/H/HUR (2x60 g)<br>02132/1/HX/H/HUR (1x60 g)  |
| Effective buoyancy  | 02130/1/HX/HUR 310 N<br>02131/1/HX/HUR 310 N<br>02132/1/HX/HUR 290 N<br>02130-1-2/1/HX/H/HUR 310 N  |
| Fastening mechanism   | Safety harness with a 45 mm strap, quick-release fastening system in acetal resin and integrated adjustment, double safety strap attachment   |
| Certifications  | SOLAS M.E.D. - ISO 12401  |
| Size  | Adult   |
| Weight supported  | 43-140 kg   |
| Waist circumference   | Up to 175 cm  |
| Casing  | PL 600D PU COATED   |
| Chamber   | Dual-compartment floating chamber with X3D system, PA 420 PU-coated material, fluorescent yellow in colour  |
| Product packaging   | Carrying mesh case in PL 200D   |
| Product dimensions  | Approx. 55 x 34 x 7 cm  |
| Packaging   | 60 x 40 x 40 cm   |
| Product weight  | 02130/1/HX (Aprox. 1.950 g)<br>02131/1/HX (Aprox. 1.900 g)<br>02132/1/HX (Aprox. 1.640 g)<br>02130/1/HX/H/HUR (Aprox. 1.835 g)<br>02131/1/HX/H/HUR (Aprox. 1.857 g)<br>02132/1/HX/H/HUR (Aprox. 1.592 g)  |
| Inspection  | Obligatory every 12 months  |
| Accessories on request  | Safety line, sprayhood, automatic emergency light   |
| Spare parts   | Whistle, double crotch strap, rearming kit  |
| Veleria San Giorgio reserves the right to modify the technical specifications without prior notice                |   |

## DONNING INSTRUCTIONS



# MODULO HX HUR 310

SOLAS M.E.D.-certified inflatable life jacket for professional use. Effective buoyancy 310 N (02130/1/HX - DAA), 310 N (02131/1/HX - DAAM), 290 N (02132/1/HX - SAA). Integrated ISO 12401 harness with quick-release safety fastening and side-adjustment clasp.

## CASING FEATURES

- Collar in breathable mesh
- Multi-purpose pocket with zipper
- Rear strap with backplate
- Velcro closure
- Quick-release clasp
- Side-adjustment clasp
- Double ring for the safety line
- Rescue assistance loop
- Lifting handle
- Buddy system



## LEGEND

DAA - Dual Automatic Activator

DAAM - Double Automatic and Manual Activator

SAA - Single Automatic Activator



## VERSIONS


| CODES            | PRODUCT NAME      | ACTIVATION | ACTIVATOR               |
|------------------|-------------------|------------|-------------------------|
| 02130/1/HX/HUR   | MODULO HX HUR 310 | AUTOMATIC  | 2XUML MK5               |
| 02131/1/HX/HUR   | MODULO HX HUR 310 | AUTOMATIC  | UML MK5+UML MICROMANUAL |
| 02132/1/HX/HUR   | MODULO HX HUR 290 | MANUAL     | UML MK5                 |
| 02130/1/HX/H/HUR | MODULO HX HUR 310 | AUTOMATIC  | HAMMAR MA1/EC           |
| 02131/1/HX/H/HUR | MODULO HX HUR 310 | AUTOMATIC  | HAMMAR MA1/EC+M1/A1     |
| 02132/1/HX/H/HUR | MODULO HX HUR 290 | MANUAL     | HAMMAR MA1/EC           |

# MODULO HX HUR 310

Double-compartment floating chamber with X3D system having a single-compartment rotation system in PA 420 PU-coated fabric with electronically-controlled high-frequency welds. Designed to contour to the body's ergonomics and optimise positioning in the water. Thanks to the special V-shape, it guarantees an immediate rotation of the body and, through the "fins" structure behind the nape, provides excellent support and perfect stability to the wearer's head. The chamber's design guarantees the best clearance of the mouth above the water in the inflatable vests category.

## ACTIVATION SYSTEMS:

- Automatic: upon falling into the water, the system automatically activates within 5 seconds of submersion, with the inflation of the floatation chamber. Automatic activation is possible with the salt activator UML MK5 and Hammar, through the dissolution of a water-soluble tablet.
- Manual: the system is operated through pulling the dedicated lever. The product comes with the UML MICROMANUAL activator booklet and is activated exclusively by hand.
- Oral: this type of inflation is achieved via the special mouth tube, with a non-return valve and protective cap. To inflate the chamber, simply blow into the tube.











**X3D**  
SYSTEM

# MODULO HX HUR **310**

## SPARE PARTS

|  |                            |              |  |                |              |
|--|----------------------------|--------------|--|----------------|--------------|
|   | <b>Double crotch strap</b> | <b>09150</b> |                | <b>Whistle</b> | <b>25180</b> |
| Use of this accessory improves the body's inclination, stability and positioning in the water.   |                            |              | A mandatory accessory that permits an emergency sound signal to be issued. ISO 12402-8 certified |                |              |
| <b>Rearming</b>  |                            |              |  |                |              |
| UML: rearming kit (26260), water-soluble tablet (25005), green MK5 pin (25003/MK5), green Micro-Manual pin (25003/UML2)<br>Canister 60 g (26060) |                            |              |  |                |              |

## ACCESSORIES

|   |                                 |                    |  |                             |              |
|---|---------------------------------|--------------------|--|-----------------------------|--------------|
|                             | <b>Elast. 2 aluminium hooks</b> | <b>11177</b>       |   | <b>2 aluminium hooks</b>    | <b>11174</b> |
| <b>SAFETY STRAP</b><br>Length: 2 metres<br>Material: Aluminium  |                                 |                    | <b>SAFETY STRAP</b><br>Length: 2 metres<br>Material: Aluminium   |                             |              |
|                            | <b>3 aluminium hooks</b>        | <b>11175</b>       |    | <b>Elast. 2 steel hooks</b> | <b>11176</b> |
| <b>SAFETY STRAP</b><br>Length: 1.4-2 metres<br>Material: Aluminium  |                                 |                    | <b>SAFETY STRAP</b><br>Length: 2 metres<br>Material: Stainless steel   |                             |              |
|                            | <b>2 steel hooks</b>            | <b>11173</b>       |    | <b>Steel hook + ring</b>    | <b>11178</b> |
| <b>SAFETY STRAP</b><br>Length: 2 metres<br>Material: Stainless steel  |                                 |                    | <b>SAFETY STRAP</b><br>Length: 2 metres<br>Material: Stainless steel   |                             |              |
|                            | <b>Sprayhood</b>                | <b>09145/AR/GI</b> |    | <b>LED light</b>            | <b>03030</b> |
| Reduces the risk of secondary drowning via inhalation of nebulised water. Improves detection of the castaway. |                                 |                    | Automatically activates upon falling into the water. Renders the device visible for up to a mile. SOLAS M.E.D.-certified and USCG approved |                             |              |



Remember to conduct a periodic inspection. Book an inspection now by emailing us at: [info@veleriasangiorgio.com](mailto:info@veleriasangiorgio.com)



For more information, contact us at +39 0185 467701 or via our website [veleriasangiorgio.com](http://veleriasangiorgio.com)



To buy or learn more about this product, please visit [veleriasangiorgio.com](http://veleriasangiorgio.com)

LIFE JACKETS AND LIFEBELTS, FLAGS AND BANNERS, TECHNICAL ITEMS, PERSONAL PROTECTIVE EQUIPMENT AND SAFETY

GEAR FOR CIVILIAN AND MILITARY FIELDS

Via Alcide De Gasperi, 37H - 16030 Casarza Ligure - Genoa - Italy

Tel. +39 0185 467701 - Fax +39 0185 467050 - [info@veleriasangiorgio.com](mailto:info@veleriasangiorgio.com) - [www.veleriasangiorgio.com](http://www.veleriasangiorgio.com)

